

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 1

Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
20271	1053

	Minutes	Runs
FIRE	5271	134
Structure	4319	69
Vehicle	41	3
Other	911	62
EMS	3467	200
Cardiac	77	4
Medical Aid	2116	115
Other	1274	81
HAZMAT	526	20
Spill/Leak	442	15
Other	84	5
NON-FIRE	8526	576
Lockout/In	669	39
Water Emer	731	23
Accidental	2380	180
Defective	2081	140
Other	2665	194
GOOD INTENT	1685	34
Smoke Scare	297	20
Other	1388	14
FALSE	614	56
Malicious	527	49
Other	87	7
RELOCATIONS	78	7

EQUIPMENT USED

	Number of Feet Used
Aerial	2416
Extension	490
Straight	180
Roof	106
Folding	297
Combination	20

	Number Used
Scba	251

	Number of Times Used
LadderPipe	4
Extinguisher	13
Foam	0
Oxygen	27
Generator	5
Smoke Ejt	17
Port Pump	7
Scene Light	11
Jaws	0
K12	10
Qvent	9
FirstAid Bag	151
CO2 Meter	21
Misc Tools	601

Lockout/in Type	
Building	13
Auto	3
Elevator	25

Box Type	
Fire	50
False	92

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

461

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 2

Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
15077	780

	<u>Minutes</u>	<u>Runs</u>
FIRE	4363	107
Structure	3857	66
Vehicle	67	6
Other	439	35
EMS	2543	148
Cardiac	189	10
Medical Aid	1794	105
Other	560	33
HAZMAT	539	27
Spill/Leak	222	10
Other	317	17
NON-FIRE	5958	337
Lockout/In	562	37
Water Emer	109	6
Accidental	1967	197
Defective	799	65
Other	2521	32
GOOD INTENT	882	69
Smoke Scare	390	34
Other	492	35
FALSE	565	73
Malicious	501	67
Other	64	6
RELOCATIONS	130	1

EQUIPMENT USED

	<u>Number of Feet Used</u>
Aerial	3350
Extension	460
Straight	616
Roof	140
Folding	138
Combination	70

	<u>Number Used</u>
Scba	343

	<u>Number of Times Used</u>
LadderPipe	4
Extinguisher	16
Foam	0
Oxygen	24
Generator	6
Smoke Ejt	17
Port Pump	0
Scene Light	14
Jaws	0
K12	8
Qvent	16
FirstAid Bag	76
CO2 Meter	38
Misc Tools	164

Lockout/in Type

Building	23
Auto	1
Elevator	0

Box Type

Fire	19
False	80

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

215

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 3

Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
13486	714

	Minutes	Runs
FIRE	2182	72
Structure	1799	46
Vehicle	60	3
Other	323	23
EMS	4835	243
Cardiac	187	7
Medical Aid	4169	205
Other	479	31
HAZMAT	405	17
Spill/Leak	254	9
Other	151	8
NON-FIRE	3479	252
Lockout/In	729	48
Water Emer	359	7
Accidental	1129	112
Defective	1021	67
Other	241	18
GOOD INTENT	584	41
Smoke Scare	282	21
Other	302	20
FALSE	592	75
Malicious	477	64
Other	115	11
RELOCATIONS	50	1

EQUIPMENT USED

	Number of Feet Used
Aerial	2530
Extension	165
Straight	140
Roof	208
Folding	112
Combination	58

	Number Used
Scba	261

	Number of Times Used
LadderPipe	0
Extinguisher	46
Foam	0
Oxygen	87
Generator	11
Smoke Ejt	20
Port Pump	2
Scene Light	14
Jaws	0
K12	3
Qvent	3
FirstAid Bag	187
CO2 Meter	39
Misc Tools	143

Lockout/in Type	
Building	37
Auto	3
Elevator	3

Box Type	
Fire	25
False	81

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

148

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 4

Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
21566	1011

	<u>Minutes</u>	<u>Runs</u>
FIRE	4651	130
Structure	4137	93
Vehicle	74	2
Other	440	35
EMS	2160	109
Cardiac	207	9
Medical Aid	1574	79
Other	379	21
HAZMAT	368	14
Spill/Leak	227	9
Other	141	5
NON-FIRE	1E+04	635
Lockout/In	978	40
Water Emer	1625	39
Accidental	2507	213
Defective	2724	181
Other	2945	162
GOOD INTENT	405	25
Smoke Scare	174	12
Other	231	13
FALSE	451	43
Malicious	357	35
Other	94	8
RELOCATIONS	2635	32

EQUIPMENT USED

	<u>Number of Feet Used</u>
Aerial	4900
Extension	519
Straight	28
Roof	420
Folding	714
Combination	186

	<u>Number Used</u>
Scba	352

	<u>Number of Times Used</u>
LadderPipe	5
Extinguisher	85
Foam	0
Oxygen	44
Generator	15
Smoke Ejt	53
Port Pump	8
Scene Light	53
Jaws	0
K12	12
Qvent	19
FirstAid Bag	85
CO2 Meter	36
Misc Tools	433

Lockout/in Type

Building	7
Auto	2
Elevator	32

Box Type

Fire	75
False	230

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

331

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 5

Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
12200	658

	Minutes	Runs
FIRE	3926	86
Structure	3097	53
Vehicle	37	5
Other	792	28
EMS	1781	103
Cardiac	177	7
Medical Aid	1349	75
Other	255	21
HAZMAT	867	29
Spill/Leak	584	18
Other	283	11
NON-FIRE	3977	281
Lockout/In	638	42
Water Emer	78	4
Accidental	1060	99
Defective	893	56
Other	1308	80
GOOD INTENT	930	64
Smoke Scare	602	43
Other	328	21
FALSE	579	67
Malicious	374	53
Other	205	14
RELOCATIONS	8	1

EQUIPMENT USED

	Number of Feet Used
Aerial	3150
Extension	268
Straight	100
Roof	16
Folding	198
Combination	0

Number Used

Scba	224
------	-----

Number of Times Used

LadderPipe	3
Extinguisher	5
Foam	0
Oxygen	19
Generator	9
Smoke Ejt	15
Port Pump	1
Scene Light	20
Jaws	0
K12	3
Qvent	6
FirstAid Bag	73
CO2 Meter	53
Misc Tools	399

Lockout/in Type

Building	31
Auto	3
Elevator	7

Box Type

Fire	10
False	104

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

152

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 6

Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
14024	808

	Minutes	Runs
FIRE	4303	147
Structure	3926	120
Vehicle	63	4
Other	314	23
EMS	2063	116
Cardiac	134	9
Medical Aid	1629	83
Other	300	24
HAZMAT	734	34
Spill/Leak	294	11
Other	440	23
NON-FIRE	5357	358
Lockout/In	705	43
Water Emer	529	9
Accidental	1345	124
Defective	2005	140
Other	773	42
GOOD INTENT	723	48
Smoke Scare	370	23
Other	353	25
FALSE	723	86
Malicious	702	84
Other	21	2
RELOCATIONS	64	2

EQUIPMENT USED

	Number of Feet Used
Aerial	5290
Extension	339
Straight	328
Roof	100
Folding	260
Combination	28

	Number Used
Scba	236

	Number of Times Used
LadderPipe	2
Extinguisher	6
Foam	0
Oxygen	15
Generator	12
Smoke Ejt	9
Port Pump	2
Scene Light	21
Jaws	0
K12	13
Qvent	21
FirstAid Bag	63
CO2 Meter	66
Misc Tools	392

Lockout/in Type

Building	32
Auto	0
Elevator	8

Box Type

Fire	34
False	111

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

206

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 7

Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
10675	560

	<u>Minutes</u>	<u>Runs</u>
FIRE	2254	72
Structure	1383	26
Vehicle	145	4
Other	726	42
EMS	2437	114
Cardiac	332	15
Medical Aid	1539	72
Other	566	27
HAZMAT	639	22
Spill/Leak	0	0
Other	639	22
NON-FIRE	4038	270
Lockout/In	540	25
Water Emer	382	9
Accidental	1214	117
Defective	1049	74
Other	853	45
GOOD INTENT	552	30
Smoke Scare	200	12
Other	352	18
FALSE	310	30
Malicious	294	27
Other	16	3
RELOCATIONS	378	7

EQUIPMENT USED

	<u>Number of Feet Used</u>
Aerial	440
Extension	48
Straight	88
Roof	30
Folding	144
Combination	1

	<u>Number Used</u>
Scba	177

	<u>Number of Times Used</u>
LadderPipe	1
Extinguisher	3
Foam	0
Oxygen	17
Generator	1
Smoke Ejt	7
Port Pump	3
Scene Light	6
Jaws	1
K12	0
Qvent	3
FirstAid Bag	77
CO2 Meter	51
Misc Tools	189

<u>Lockout/in Type</u>	
Building	11
Auto	1
Elevator	12

<u>Box Type</u>	
Fire	25
False	44

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

150

PROVIDENCE FIRE DEPARTMENT

Providence, RI 23-Jul-11

From: Lt. Joseph L. Molis L-8 A grp #5390

To: The Chief of Department

Subject: Company Activity reports

Sir:

As directed in an email by DAC Mirza I have generated an activity report for the first half of 2011. A hard copy is attached to this F-17 because we are unable to email reports generated with the access database used to collect run data.

Respectfully Submitted,

A handwritten signature in black ink, appearing to be 'J. Molis', written over a horizontal line.

Lt. Joseph Molis L8 A grp

Contents Noted and Forwarded

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Reporting Ladder Company

Ladder 8

Annual Report for 2011

ANNUAL TOTALS	
Service Time Minutes	Runs
13667	630

	<u>Minutes</u>	<u>Runs</u>
FIRE	3482	99
Structure	1596	33
Vehicle	390	3
Other	1496	63
EMS	3213	79
Cardiac	31	1
Medical Aid	1292	58
Other	1890	20
HAZMAT	433	16
Spill/Leak	303	9
Other	130	7
NON-FIRE	5595	365
Lockout/In	397	22
Water Emer	355	15
Accidental	2149	160
Defective	2054	122
Other	640	46
GOOD INTENT	428	25
Smoke Scare	200	14
Other	228	11
FALSE	464	33
Malicious	426	30
Other	38	3
RELOCATIONS	0	0

EQUIPMENT USED

	<u>Number of Feet Used</u>
Aerial	1630
Extension	28
Straight	92
Roof	20
Folding	67
Combination	0

	<u>Number Used</u>
Scba	506

	<u>Number of Times Used</u>
LadderPipe	5
Extinguisher	67
Foam	0
Oxygen	40
Generator	4
Smoke Ejt	25
Port Pump	0
Scene Light	9
Jaws	0
K12	4
Qvent	8
FirstAid Bag	60
CO2 Meter	27
Misc Tools	354

<u>Lockout/in Type</u>	
Building	12
Auto	0
Elevator	10

<u>Box Type</u>	
Fire	23
False	62

PROVIDENCE FIRE DEPARTMENT ANNUAL REPORT

Other

183